

	Hits	Search Text	DBs
1	18838	(new with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1) with service\$1 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	3219	( (un\$1us\$4 or un\$1employ\$4 or un\$1operat\$4 or un\$1utiliz\$4 or un\$1exercis\$4 or un\$1exploit\$4 or ("not" adj bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2712	L13 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	451	L14 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	289	L15 and ((period with time) or weeks or days)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	18	L16 and ((automatic\$4 or periodic\$4 or dynamic\$4) with updat\$4 with (status\$2 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1	("6741969").PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
1	1121	(automatic\$4 or periodic\$4 or dynamic\$4) with updat\$4 with (status\$2 or state\$1) with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	900	1 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	(new with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1) with service\$1 with (((has adj "not") or (have adj "not") or (did adj "not"))) near5 (used or touched or utilized)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	18838	(new with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1) with service\$1 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	85	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	50	5 and ((period with time) or weeks or days)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	0	6 and ("not" with (us\$4 or employ\$4 or operat\$4 or spend\$4 or utiliz\$4 or exercis\$4 or exploit\$4 or (bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	5 and ("not" with (us\$4 or employ\$4 or operat\$4 or spend\$4 or utiliz\$4 or exercis\$4 or exploit\$4 or (bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	84	5 and ( (us\$4 or employ\$4 or operat\$4 or spend\$4 or utiliz\$4 or exercis\$4 or exploit\$4 or (bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	50	6 and ( (us\$4 or employ\$4 or operat\$4 or spend\$4 or utiliz\$4 or exercis\$4 or exploit\$4 or (bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	10 and ( (un\$1us\$4 or un\$1employ\$4 or un\$1operat\$4 or un\$1utiliz\$4 or un\$1exercis\$4 or un\$1exploit\$4 or ("not" adj bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	5 and ( (un\$1us\$4 or un\$1employ\$4 or un\$1operat\$4 or un\$1utiliz\$4 or un\$1exercis\$4 or un\$1exploit\$4 or ("not" adj bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	(has or have) with "not" with (us\$4 or employ\$4 or operat\$4 or spend\$4 or utiliz\$4 or exercis\$4 or exploit\$4 or (bring\$4 adj into adj play)) with service\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	(has or have or did) with "not" with (us\$4 or employ\$4 or operat\$4 or spend\$4 or utiliz\$4 or exercis\$4 or exploit\$4 or (bring\$4 adj into adj play)) with service\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3219	( (un\$1us\$4 or un\$1employ\$4 or un\$1operat\$4 or un\$1utiliz\$4 or un\$1exercis\$4 or un\$1exploit\$4 or ("not" adj bring\$4 adj into adj play)) with service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2712	15 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	451	16 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	289	18 and ((period with time) or weeks or days)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	0	19 and (automatic\$4 or periodic\$4 or dynamic\$4) with updat\$4 with (status\$2 or state\$1) with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	18	19 and ((automatic\$4 or periodic\$4 or dynamic\$4) with updat\$4 with (status\$2 or state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	19 and ((automatic\$4 or periodic\$4 or dynamic\$4) with updat\$4 with (status\$2 or state\$1) with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	289	19 and (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	18	21 and (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	203	( (un\$1us\$4 or un\$1employ\$4 or un\$1operat\$4 or un\$1utiliz\$4 or un\$1exercis\$4 or un\$1exploit\$4 or ("not" adj bring\$4 adj into adj play)) adj (account\$1 or service\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	169	25 and @ad < "20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	169	26 not 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	27 and (automatic\$4 or periodic\$4 or dynamic\$4) with updat\$4 with (status\$2 or state\$1) with (customer\$1 or client\$1 or user\$1 or subscriber\$1 or member\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB